







MINOR ADAPTATIONS EQUIPMENT SECTION

For up to date version and prescribing guidelines for specific equipment see online catalogue www.devon.gov.uk/ces-catalogue

<p>Steel Grab Rails</p> <p>Steel grab rails are available plastic coated or epoxy coated. Available in several sizes</p> <ul style="list-style-type: none">• For 12" (30cm), order code : MIN 0004• For 18" (45.5cm), order code : MIN 0005• For 24" (61cm), order code : MIN 0006 <p>Maximum user weight </p> <p>Price band A</p> <p>Jun 08</p>	<p>Order Code : See details</p> 
<p>Angled Steel Grab Rails</p> <p>This is an offset, angled version of the standard steel grab rail. Used where hand access may be difficult, for example, near a door jamb.</p> <ul style="list-style-type: none">• For 18" (45.5cm), order code : MIN 0009• For 24" (61cm), order code: MIN 0392 <p>Maximum user weight </p> <p>Price band A</p> <p>Aug 11</p>	<p>Order Code : See details</p> 
<p>Newel Rail (Left and Right Hand)</p> <p>White, epoxy coated steel rail turns 90° around the newel post, avoiding the need to let go. There is a left and right handed version, as viewed looking up the stairs</p> <ul style="list-style-type: none">• Length : 673mm (26 1/2")• Diameter : 25mm (1") <p>Maximum user weight </p> <p>Price band A</p> <p>Jun 08</p>	<p>Order Code: MIN 0013 (left) MIN 0014 (right)</p> 

Plastic Fluted Grab Rails

This cost effective range of plastic grab rails and handles have circular fixing plates supplied with a covering disc. The disc is clipped over the attachment screws, creating a fully insulated handle or rail. The rails are ideal for bathrooms, corridors and stairways. The rails are fluted to provide better grip for wet hands. Rail lengths are measured between the two central points of the fixing plates

- For 12" (30cm), order code : **MIN 0001**
- For 18" (45.5cm), order code : **MIN 0002**
- For 24" (71.5cm), order code : **MIN 0003**

Maximum user weight 

Price band A

Jun 08

Order Code : See detail



System Rail

This white plastic rail is part of a modular system for creating a strong attractive grab bar or a continuous length of rail. Short rails can also be used end to end at different angles or to go around a corner. The rail can be easily sawn to an exact length, and is usable indoors or outside.

- Diameter of rail : 32mm (1 1/4")
- Effective width: 70mm (2 3/4").

Maximum user weight 

Price band B

Jun 08

Order Code :
MIN 0015



<p>Foldaway Grab Rail</p> <p>A high quality, steel grab rail. Folding against the wall when not in use, the rail is held in the upright position with positive location</p> <ul style="list-style-type: none"> • Length of rail : 700mm (27 ½ ") • Mounting bracket 260 x 100mm (10 ¼ " x 7 ¾") <p>Maximum user weight 125 kg 19 ½ st</p> <p>Price band B</p> <p style="text-align: right;">Sept 08</p>	<p>Order Code : MIN 0254</p> 
<p>Devon Folding Support Rail</p> <p>A sturdy folding rail, projecting at right angles to the wall. The rail is held in the upright position by a spring loaded cam, and is easily folded</p> <ul style="list-style-type: none"> • Rail diameter : 25mm (1") • Back plate : 300mm x 125mm (11 ¾ " x 5") <p>Maximum user weight 127 kg 20 st</p> <p>Price band B</p> <p style="text-align: right;">Sept 08</p>	<p>Order Code : MIN 0247</p> 
<p>Devon Floor Mounted Folding Rail</p> <p>An adjustable height rail, which is mounted on a floor fixing post for versatility in positioning. The rail is mounted on a post with a clamping arrangement for height adjustment.</p> <ul style="list-style-type: none"> • Post height: 1110mm (44"). • Floor plate : 250mm x 150mm (10"x6") <p>Maximum user weight 127 kg 20 st</p> <p>Price band B</p> <p style="text-align: right;">Sept 08</p>	<p>Order Code : MIN 0250</p> 

Toothing Slatted Bath Seat

A comfortable shower seat fitted to the wall and can be folded up when not in use. It has two height adjustable legs at the front to provide extra support and stability. These legs are fitted with non-slip feet and are adjusted with pin clips. The seat is mounted on a corrosion resistant aluminium, stainless steel and plastic frame and requires fixing to the wall at a suitable height.

Dimensions :

- Seat size 295mm x 355mm (11 ½ x 14")

Maximum user weight **158 kg** **25 st**

Price band B

Sept 08

Order Code:
BAT 0261



Keysafe, Permanent with cover

Keysafe - Requires no power supply. No wires or batteries

Supplied complete with cover and fixing kit.
Stores multiple keys for convenience
Covered by household insurance

- Holds 4 to 5 Yale keys or 1 to 2 Chubb keys
- Wall mounts
- External size : Height 10cm (4 ¼ ");
Width 5cm (2 ¼ ");
Depth 5cm (2")
- Internal size : Height 7cm (2 ¾ ");
Width 4cm (1 ½ ");
Depth 3cm (1 ¼ ")

Price band A

Sept 08

Order Code:
MIN 0332

